



ADJOINS MAP #32


ADJOINS MAP #34

DISTRIBUTED THROUGHOUT AREA

HEISLERVILLE FISH AND WILDLIFE MANAGEMENT AREA


DISTRIBUTED THROUGHOUT AREA

THE FIRST 15-20 MILES OF THE DELAWARE BAY SHORELINE SUPPORTS OVER 300,000 SHOREBIRDS DURING NORTHWARD MIGRATION.



Mapped, edited, and published by the Geological Survey
Control by USC&GS and New Jersey Geodetic Survey

rpi inc.
Research Planning Institute, Inc.
925 Gervais Street
Columbia, South Carolina, USA 29201
(803) 256-7322



CONTOUR INTERVAL 5 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 5.7 FEET

ESI MAP #33

PORT NORRIS, N. J.
N3907.5—W7500/7.5

1956
PHOTOREVIS D 1972
AMS 5962 II NE—SERIES V822

Revisions shown in purple compiled from aerial photographs taken 1972. This information not field checked

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST