



RHODE ISLAND INDEX
SHORELINE TYPES

- 1. EXPOSED ROCKY SHORES.
- 2. EXPOSED ROCKY LEDGES.
- 3. FINE-GRAINED SAND BEACHES.
- 4. COARSE-GRAINED SAND BEACHES.
- 5. MIXED SAND & GRAVEL BEACHES.
- 6. GRAVEL BEACHES.
- 7. EXPOSED TIDAL FLATS.
- 8. SHELTERED ROCKY SHORES.
- 9. SHELTERED TIDAL FLATS.
- 10. MARSHES.
- MAN-MADE STRUCTURES (SEAWALLS, PIERS, ETC.)

BIOLOGICAL FEATURES

- MAMMALS
- SEALS
- FISH
- ANADROMOUS OR NEARSHORE FISHES
- BIRDS
- GULLS OR TERNS
- WADING BIRDS
- WATERFOWL
- SHELLFISH
- OYSTER BEDS
- LOBSTER AREAS
- CLAM BEDS

SPILL-RESPONSE DATA

- OPEN-WATER BOOMS
- HARBOR BOOMS
- INLET CLOSURE
- BOAT RAMPS
- OPEN-WATER SKIMMERS

SPILL-RESPONSE DATA

- RECREATIONAL BEACHES
- SEAWATER INTAKES
- FIELD SURVEY SITES

rpi
Research Planning Institute, Inc.
925 Cervaia Street
Columbia, South Carolina, USA 29201
(803) 256-7322

UTM GRID AND 1975 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

SCALE 1:24,000
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 1 KILOMETER
CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 3.1 FEET



ESI MAP
#5

KINGSTON, R. I.
N4121.5 - W7130/S.57.5

1957
PHOTOGRAPHED 1970 AND 1975
AMS 6666 I NE-SERIES V815