

WATERFOWL NESTING AND STAGING AREAS ARE
ASSOCIATED WITH COASTAL WETLANDS AND ARE
GENERALLY CONFINED WITHIN THESE HABITATS

WATERFOWL
STAGING AREA
SPRING, FALL

TRADING BAY STATE
GAME REFUGE

WATERFOWL NESTING
AND STAGING AREA
SPRING - FALL

WATERFOWL
STAGING AREA
FALL


COOK INLET/ KENAI PENINSULA, ALASKA

SHORELINE TYPES

- Sensitivity
1. Exposed rocky shores
 2. Exposed wave-cut platforms
 3. Fine-grained sand beaches
 4. Coarse-grained sand beaches
 5. Exposed tidal flats
 6. Mixed sand and gravel beaches
 7. Gravel beaches
 8. Sheltered rocky shores
 9. Sheltered tidal flats
 10. Marshes

BIOLOGICAL RESOURCES


- MARINE MAMMALS**
- Seals, sea lions, and otters
 - Whales and dolphins
- MARINE BIRDS**
- Birds of prey
 - Diving birds
 - Seabirds
 - Shorebirds
 - Wading birds
 - Waterfowl
- SHELLFISH**
- Bivalve molluscs
 - Crabs
 - Shrimp
- FISHES**
- Anadromous fishes
 - Nonanadromous fishes




SOCIOECONOMIC FEATURES

- Parks
- Marinas
- Boat ramps

PRESENT IN NEARSHORE AREA



ADJOINS MAP #16



Mapped, edited and published by the Geological Survey
Control by USGS and USC&GS

rpi inc.
Research Planning Institute, Inc.
925 Gervais Street
Columbia, South Carolina, USA 29201
(803) 256-7322



CONTOUR INTERVAL 50 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET. DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 12 FEET

FOR SALE BY U.S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

**ESI MAP
#9**

KENAI (D-5), ALASKA

N6045-W15130/15x22.5

1958

MINOR REVISIONS 1971