

WEST PENINSULAR FLORIDA  
VOLUME 1  
ENVIRONMENTAL SENSITIVITY INDEX  
METADATA

June 1998

*Prepared By:*

National Oceanic and Atmospheric Administration  
Hazardous Materials Response and Assessment Division  
7600 Sand Point Way N.E.  
Seattle, Washington 98115-0070

FILE DESCRIBES: Digital data for 1996 West Peninsular Florida Volume 1  
Environmental Sensitivity Index.

FILE CREATED BY: NOAA Hazardous Materials Response and Assessment Divisio  
N/ORCA3  
7600 Sand Point Way NE  
Seattle, WA 98115  
Phone: (206) 526-6317  
FAX: (206) 526-6329  
email: [library@hazmat.noaa.gov](mailto:library@hazmat.noaa.gov)

FILE CREATED ON: 19980612

COMMENTS: Information was developed using the U.S. Federal Geographic Data Committee's Content Standards for Digital Geospatial Metadata, June 8, 1994. The numbering scheme matches the Meta Data Standard in order to facilitate referencing definitions of the elements. The items in **bold** are required elements and the others are optional elements. The Spatial Data Transfer Standard, ver. 03/92, was referenced to properly identify the geographic entities.

## TABLE OF CONTENTS

	Page
1.0. IDENTIFICATION INFORMATION.....	1
1.1. Citation.....	1
1.2. Description.....	2
1.3. Time Period of Content.....	2
1.4. Status.....	2
1.5. Spatial Domain.....	2
1.6. Keywords.....	3
1.7. Access Constraints.....	3
1.8. Use Constraints.....	3
1.11. Data Set Credit.....	3
1.13. Native Data Set Environment.....	4
2.0. DATA QUALITY INFORMATION.....	5
2.1. Attribute Accuracy.....	5
2.2. Logistical Consistency Report.....	5
2.3. Completeness Report.....	6
Shoreline Habitat Mapping.....	6
Sensitive Biological Resources.....	7
Human-Use Resources.....	10
2.4. Positional Accuracy.....	10
2.5. Lineage.....	11
2.5.1. Source Information: BIRDS.....	11
Source Information: ESI.....	12
Source Information: HABITATS.....	13
Source Information: HYDRO.....	13
Source Information: INDEX.....	14
Source Information: MGT.....	14
Source Information: M_MAMMAL.....	15
Source Information: NESTS.....	16
Source Information: REPTILES.....	17
Source Information: SHELLFSH.....	19
Source Information: SOCECON.....	21
Source Information: SOCECONP.....	23
Source Information: T_MAMMAL.....	23
3.0. SPATIAL DATA ORGANIZATION INFORMATION.....	27
3.2. Direct Spatial Reference Method.....	27
3.3. Point and Vector Object Information.....	27
4.0. SPATIAL REFERENCE INFORMATION.....	29
4.1. Horizontal Coordinate System Definition.....	29

**TABLE OF CONTENTS (continued)**

	Page
5.0. ENTITY AND ATTRIBUTE INFORMATION.....	30
5.1. Detailed Description: BIRDS .....	30
Detailed Description: ESI.....	32
Detailed Description: HABITATS.....	36
Detailed Description: HYDRO.....	38
Detailed Description: INDEX.....	40
Detailed Description: MGT.....	45
Detailed Description: M_MAMMAL.....	47
Detailed Description: NESTS .....	49
Detailed Description: REPTILES.....	53
Detailed Description: SHELLFSH.....	55
Detailed Description: SOCECON.....	57
Detailed Description: SOCECONP.....	59
Detailed Description: T_MAMMAL .....	61
6.0. DISTRIBUTION INFORMATION.....	63
6.1. Distributor .....	63
6.2. Resource Description.....	63
6.3. Distribution Liability.....	63
6.5. Custom Order Process.....	64
7.0. METADATA REFERENCE INFORMATION.....	66
7.1. Metadata Date .....	66
7.2. Metadata Review Date.....	66
7.4. Metadata Contact.....	66
7.5. Metadata Standard Name .....	66
7.6. Metadata Standard Version.....	66

**LIST OF FIGURES**

1	Relationship between biology coverages and attribute files.....	8
---	---	---

**1.0. IDENTIFICATION INFORMATION**

**1.1. CITATION**

**1.1.1. ORIGINATOR:**

Florida Department of Environmental Protection (FDEP), Florida Marine Research Institute (FMRI), 100 Eighth Avenue S.E., St. Petersburg, Florida 33701; and Research Planning, Inc., 1200 Park Street, Post Office Box 328, Columbia, South Carolina 29202

**1.1.2. PUBLICATION DATE:**

199605

**1.1.4. TITLE:**

Sensitivity of Coastal Environments and Wildlife to Spilled Oil:  
West Peninsular Florida Volume 1

**1.1.5. EDITION:**

First

**1.1.6. GEOSPATIAL DATA PRESENTATION FORM:**

Atlas

**1.1.7. SERIES INFORMATION**

**1.1.7.1. SERIES NAME:**

None

**1.1.7.2. ISSUE IDENTIFICATION:**

West Peninsular Florida Volume 1

**1.1.8. PUBLICATION INFORMATION**

**1.1.8.1. PUBLICATION PLACE:**

Seattle, Washington

**1.1.8.2. PUBLISHER:**

NOAA, Office of Ocean Resources Conservation and Assessment

**1.1.9. OTHER CITATION DETAILS:**

Prepared by Research Planning, Inc., Columbia, South Carolina for the Hazardous Materials Response and Assessment Division, National Oceanic and Atmospheric Administration, Seattle, Washington

**1.1.11. LARGER WORK CITATION:**

None

**1.2. DESCRIPTION**

**1.2.1. ABSTRACT:**

This data set comprises the Environmental Sensitivity Index (ESI) maps for the shoreline of West Peninsular Florida Volume 1. ESI data characterize coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats; sensitive biological resources; and human-use resources

**1.2.2. PURPOSE:**

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources

**1.3. TIME PERIOD OF CONTENT**

**1.3.1. TIME PERIOD INFORMATION**

**1.3.1.3. RANGE OF DATES/TIMES:**

The intertidal habitats were mapped during aerial and ground surveys conducted in June 1993. The biological and human-use resources data were compiled by regional biologists in 1995. The dates for these data vary and are documented in Section 2.5.1

**1.4. STATUS**

**1.4.1. PROGRESS:**

Complete

**1.4.2. MAINTENANCE AND UPDATE FREQUENCY:**

None planned

**1.5. SPATIAL DOMAIN**

**1.5.1. BOUNDING COORDINATES**

**1.5.1.1. WEST BOUNDING COORDINATE:**

-83.75

**1.5.1.2. EAST BOUNDING COORDINATE:**

-82.375

**1.5.1.3. NORTH BOUNDING COORDINATE:**

30.00

**1.5.1.4. SOUTH BOUNDING COORDINATE:**

27.25

**1.6 KEYWORDS**

**1.6.1. THEME**

**1.6.1.1. THEME KEYWORD THESAURUS:**

None

**1.6.1.2. THEME KEYWORD:**

Sensitivity maps; ESI; coastal resources; oil spill planning;  
and coastal zone management

**1.6.2. PLACE**

**1.6.2.1. THESAURUS:**

None

**1.6.2.2. PLACE KEYWORD:**

Florida, to encompass the coastal areas from Apalachee Bay to  
Sarasota Bay, Florida

**1.7. ACCESS CONSTRAINTS:**

None

**1.8. USE CONSTRAINTS:**

DO NOT USE ESI MAPS FOR NAVIGATIONAL PURPOSES.

Besides the above warning, there are no use constraints on this data.

Acknowledgment of the Florida Department of Environmental Protection  
and other contributing sources would be appreciated in products derived  
from these data

**1.11. DATA SET CREDIT:**

This project was supported by the Florida Department of Environmental  
Protection (FDEP), Florida Marine Research Institute (FMRI). Henry Norris  
with FMRI's Coastal and Marine Resource Assessment (CAMRA) section  
served as contract manager for the project. Henry Norris, Chris Friel, Bill  
Sargent, and Robert Warford of CAMRA contributed significantly to the  
project.

Much of the biological data included on the maps were provided by FDEP scientists and resource managers. Digital data for the shoreline and seagrasses were provide by FDEP. Digital point data for birds and terrestrial mammals were provided by the Florida Game and Fresh Water Fish Commission (FGFWFC) and the Florida Natural Areas Inventory (FNAI). Glenn Reynolds (FGFWFC) and Lance Peterson (FNAI) assisted with data transfer. Digital data for managed land boundaries were provided by FDEP and the Geoplan Center, Department of Urban and Regional Planning, University of Florida.

At Research Planning, Inc. (RPI), Joanne Halls and Scott Zengel were the project managers. Shoreline mapping was conducted by Miles O. Hayes, Jacqueline Michel, and Todd M. Montello under a previous contract. Biological and human-use resource data were collected and compiled by Scott Zengel. Lee Diveley was the GIS coordinator and Mark White, Kara Hastings, Christopher Locke, James Olsen, and William Holton entered the data and produced the final maps under the supervision of Joanne Halls. Systems administration was coordinated by William Holton. Graphics were provided by Joe Holmes and Rebecca Cox. Dot Zaino and Laura Brown prepared the final text.

1.13. NATIVE DATA SET ENVIRONMENT:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO (version 7.0.3) and ORACLE RDBMS (version 6.0.36.1.1). The hardware configuration is Hewlett Packard workstations (models 715/50 and 712/80 with 4 X-terminals) with unix operating system (HP-UX Release A.09.01). The following files are included in the data set: biores.e00, birds.e00, esi.e00, habitats.e00, hydro.e00, index.e00, mgt.e00, m\_mammals.e00, nests.e00, reptiles.e00, seasonality.e00, shellfish.e00, socecon.e00, socecon.e00, soceconp.e00, sources.e00, species.e00, t\_mammals.e00, and turtles.e00. The entire data set is approximately 70 megabytes.



## 2.0. DATA QUALITY INFORMATION

### 2.1. ATTRIBUTE ACCURACY

#### 2.1.1. ATTRIBUTE ACCURACY REPORT:

The attribute accuracy is estimated to be “good” given the years of ESI experience, the data input methodology, the quality control review sessions, and the digital logical consistency checks.

### 2.2. LOGICAL CONSISTENCY REPORT:

The digitization of shoreline types, biological resources, and human-use resources is a complex and highly quality-controlled process. In order to facilitate digitizing, the entire study area is split into individual quadrangles using the INDEX coverage. The first layer of information digitized is the ESI shoreline. The ESI digitization was completed under a previous contract. In this project, the ESI data were checked for completeness and topological and logical consistency. Any errors in the shoreline classification are updated prior to digitization of the biological and socio-economic layers. All layers use the shoreline as the geographic reference so that there are no slivers in the geographic coordinates.

The hardcopy biological information is compiled onto 1:24,000 USGS topographic quadrangles by a biological expert using data from regional specialists in the form of maps, tables, charts, and written descriptions of wildlife distributions. Concurrently, digital data sources are imported, projected, checked for quality control, and integrated into our spatial data structure. The hardcopy data are digitized, checked using both digital and on-screen procedures, integrated with existing data, plotted, and sent out for review by the regional specialists. The edited maps are updated, checked once again, and the final product plotted (at approximately 1:50,000 scale). A team of specialists review the entire series of maps, check all data, and make final edits. The data are then merged to form the study-wide layers. The data merging includes a final quality control check where labels, chains, and polygons are checked for attribute accuracy.

To finalize the data checking process, each coverage is checked using a standardized form by two GIS personnel (a technician and the GIS manager), and each attribute database is checked using several programs which test the files for missing or duplicate data, rules for proper coding, GIS topological

consistencies (such as dangles, unnecessary nodes, etc.), and ORACLE to ARC/INFO consistencies. A final review is made by the GIS manager, where data is written to tape and metadata is written.

### 2.3. COMPLETENESS REPORT:

#### Shoreline Habitat Mapping:

The shoreline habitats of West Peninsular Florida Volume 1 were mapped during overflights conducted in June 1993. The surveys were conducted at elevations of 300-500 feet and slow air speed. An experienced coastal geologist delineated the coastal types directly onto 1:24,000 scale USGS topographic maps, using a standardized classification scheme. Where appropriate, multiple habitats were delineated for each shoreline segment. Relatively simple changes to the shoreline position and shape were made during the overflights. Where there were complex changes in the shoreline, the most current aerial photographs were used to update the shoreline and habitats on the topographic maps, particularly where new canals and marinas were built.

Prediction of the behavior and persistence of oil on intertidal habitats is based on an understanding of the dynamics of the coastal environments, not just the substrate type and grain size. The vulnerability of a particular intertidal habitat is an integration of the following factors:

- 1) Shoreline type (substrate, grain size, tidal elevation, origin)
- 2) Exposure to wave and tidal energy
- 3) Biological productivity and sensitivity
- 4) Ease of cleanup

All of these factors are used to determine the relative sensitivity of intertidal habitats. Key to the sensitivity ranking is an understanding of the relationships between: physical processes; substrate; shoreline type; product type; fate and effect; and sediment transport patterns. The intensity of energy expended upon a shoreline by wave action, tidal currents, and river currents directly affects the persistence of stranded oil. The need for shoreline cleanup activities is determined, in part, by the slowness of natural processes in removal of oil stranded on the shoreline.

These concepts have been used in the development of the ESI, which ranks shoreline environments as to their relative sensitivity to oil spills, potential biological injury, and ease of cleanup. Generally speaking, areas exposed to

high levels of physical energy, such as wave action and tidal currents, and low biological activity rank low on the scale, whereas sheltered areas with associated high biological activity have the highest ranking.

Sensitive Biological Resources:

Regional biologists compiled the biological data. These data denote the key biological resources that are most likely at risk in the event of an oil spill. Six major categories, or elements, of biological resources were considered during data compilation: birds, habitats, marine mammals, reptiles, shellfish, and terrestrial mammals.

Each ELEMENT corresponds to a coverage or geographic theme. There are also five attribute tables, BIORES, SEASONAL, SOURCES, SPECIES, and TURTLES, that are used to store the complex biological data (Fig. 1). Each biological coverage (BIRDS, HABITATS, M\_MAMMAL, NESTS, REPTILES, and T\_MAMMAL) is linked to the Biological Resources table (BIORES) using the item RARNUM. The biological coverage REPTILES is also linked to the turtle survey data table (TURTLES) using the item ID. TURTLES can also be linked to BIORES using the item RARNUM. RARNUM is the resources at risk number and is determined for each unique combination of SPECIES\_ID, SEASON\_ID, CONC, and ELEMENT. The items in BIORES are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the number of species present in the polygon. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced.

The SEASONAL table stores the monthly presence of each species and the characteristics of the presence (life history information). The BIORES table is linked to the SEASONAL table using the SPECIES\_ID, ELEMENT, and SEASON\_ID items. The categories of the variables BREED1 through BREED4 for each ELEMENT are:

WEST PENINSULAR FLORIDA VOLUME 1 METADATA




FIGURE 1. Relationships between biology coverages and attribute files.

ELEMENT	BREED 1	BREED 2	BREED 3	BREED 4
BIRD	nesting	laying	hatching	fledging
M_MAMMAL	calving	pupping	molting	
REPTILE	nesting	hatching		
SHELLFISH	spawning	juvenile		

NOTE: There are no BREED variables for HABITATS or T\_MAMMAL.

The SPECIES.DAT table contains the common name (NAME), the scientific name (GEN\_SPEC), the state abbreviation (STATE), the state and federal status (S\_F), the threatened or endangered status (T\_E), the date of the status list (DATE\_PUB), the biological element (ELEMENT), and the biological subelement (SUBELEMENT). The item SUBELEMENT refers to the grouping of the species:

ELEMENT	SUBELEMENT
BIRD	diving
	gull_tern
	passerine
	pelagic
	raptor
	shorebird
	wading
	waterfowl
HABITAT	sav
MARINE MAMMAL	manatee
REPTILE	turtle
SHELLFISH	bivalve
	crab
	lobster
	shrimp
TERRESTRIAL MAMMAL	small mammals

In response to a special request from the state of Florida, additional turtle data was collected and digitized into the TURTLES.DAT table. An identifier which links the TURTLES.DAT table to the REPTILES coverage is ID. The value of ID is unique for each region. The items in TURTLES.DAT are: ID, RARNUM, SURVEY, COUNTY, and, NAME. RARNUM is a link to the BIORES.DAT table and is identical to the values in REPTILES.DAT. The SURVEY identifies the survey source code, with SURVEY = 1 indicating 1994 FDEP surveyed beaches,

SURVEY = 2 indicating 1995 surveyed beaches, SURVEY = 3 indicating nonsurveyed beaches with nesting information provided by an expert source, and SURVEY = 4 indicating pre-1994 surveyed beaches. The COUNTY and (surveyed beach NAME) correspond to fields in the FDEP Statewide Sea Turtle Nesting Database, allowing for future updating of nesting information. For SURVEY = 3 (expert source), “unsurveyed” is listed under NAME. The data is stored in TURTLES.DAT and is linked to the REPTILES coverage using the item ID.

#### Human-Use Resources:

Several human-use, or socio-economic, features are included in ESI atlases. Entity points and complete chains are digitized into the coverage SOCECON. In the Florida ESI, aquaculture sites and archaeological/historical sites were collected and digitized as complex polygons (regions) in the coverage SOCECONP. All managed lands are digitized as complex polygons in the MGT coverage. The coverages are linked to the database SOCECON.DAT using the item RARNUM.

The table SOCECON.DAT contains the RARNUM, the feature type, and the geographic and attribute sources for the features. The RARNUM value is distinguished from the biology RARNUM values by an “H” preceding the unique number.

## **2.4. POSITIONAL ACCURACY**

### **2.4.1. HORIZONTAL POSITIONAL ACCURACY**

#### **2.4.1.1. HORIZONTAL POSITIONAL ACCURACY REPORT:**

The ESI data uses USGS 1:24,000 topographic quadrangles as the base map. It is estimated that the ESI has a minimum mapping unit of 50 feet. The biological data sets are developed primarily using regional experts who estimate concentration areas. Unlike shorelines, which maintain relative spatial stability through time, the biological data by nature migrate across the landscape. Therefore, the 1:24,000 USGS quadrangles are used as a base map in gathering the data but the data have “fuzzy” boundaries which must be understood when utilizing this information.

## 2.5. LINEAGE

## 2.5.1. SOURCE INFORMATION:

Coverage or theme name: BIRDS

## 2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Kale, H.W. and D.S. Maehr	1990	Florida's Birds: A Handbook and Reference	Hardcopy text	Pineapple Press, Inc., Sarasota, Fla., 288 pp.	N/A	N/A
U.S. Fish and Wildlife Service	1982	Gulf Coast Ecological Inventory	Hardcopy maps	U.S. Geological Survey, Reston, Va.	250000	1982
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994
Brakhage, D. FGFWFC (Tallahassee)	N/A	Regional Waterfowl Concentration Areas	Expert knowledge	N/A	N/A	1995
Zengel, S. Research Planning, Inc.	N/A	Human-use features and bird nesting locations for specific areas in West Peninsular Florida	Expert knowledge	N/A	N/A	1995
Jodice, P.G.R.	1992	Distribution of Wintering Loons in the Northeastern Gulf of Mexico	Hardcopy report	Final Performance Report, Bureau of Non-game Wildlife, FGFWFC, Tallahassee, Fla., 11 pp.	N/A	1991-1992

2.5.1.1.1  Originator	2.5.1.1.2  Publication Date	2.5.1.1.4  Title	2.5.1.1.6  Geospatial Data Presentation Form	2.5.1.1.8  Publication Information	2.5.1.2  Source Scale Denominator	2.5.1.4  Source Time Period
Williams, A. FGFWFC (Tallahassee)	N/A	Bird Concentration Updates to the USCG COTP Tampa Area Response Plan Maps	Hardcopy maps	N/A	Varies	1996
Kleen, J. USFWS (Crystal River)	N/A	Bird, Sea Turtle Concentration Sites for NWRS in West Peninsular Florida	Expert knowledge	N/A	N/A	1996

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: ESI

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1  Originator	2.5.1.1.2  Publication Date	2.5.1.1.4  Title	2.5.1.1.6  Geospatial Data Presentation Form	2.5.1.1.8  Publication Information	2.5.1.2  Source Scale Denominator	2.5.1.4  Source Time Period
Research Planning, Inc.	N/A	ESI Shoreline	Digital complete chains	N/A	24000	1996
FDEP, FMRI	N/A	ESI Shoreline	Digital complete chains	N/A	24000	1994
Marine Spill Response Corporation	N/A	ESI Shoreline	Digital complete chains	N/A	24000	1994
Research Planning, Inc.	N/A	ESI Shoreline	Maps	N/A	24000	1993



**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: HABITATS

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
FDEP	1988	Seagrass Distribution in Lemon Bay	Digital complex polygons	FMRI, St. Petersburg, Fla.	24000	1987
FDEP	1993	Seagrass Distribution from Indian Rocks Beach to Anclote Key	Digital complex polygons	FMRI, St. Petersburg, Fla.	24000	1990
FDEP	1992	Seagrass Distribution from Tampa Bay to Boca Ciega Bay	Digital complex polygons	FMRI, St. Petersburg, Fla.	24000	1990
FDEP	1984	Seagrass Distribution of the Big Bend Area	Digital complex polygons	FMRI, St. Petersburg, Fla.	40000	1983

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: HYDRO

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
FDEP, FMRI (St. Petersburg)	1995	Shoreline	Digital complete chains	N/A	24000	Varies

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: INDEX

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Research Planning, Inc.	1996	Index for West Peninsular 1 Florida ESI Maps	Digital complex polygons	Joanne Halls, GIS Manager	24000	1996

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: MGT

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
University of Florida, Dept. of Urban and Regional Planning, Geoplan Center	1994	Florida Greenways Conservation Lands Database	Digital complex polygons	David Lambert, Database Manager	250000	1994
FDEP	N/A	Florida Aquatic Preserves	Digital complex polygons	FMRI, St. Petersburg, Fla.	24000	Unknown
U.S. Geological Survey	Varies	USGS 7.5-minute Topographic Quadrangles	Hardcopy maps	USGS, Reston, Va.	24000	Varies

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: M\_MAMMAL

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Kleen, J. USFWS (Crystal River)	N/A	Manatee Aerial Survey Maps for Citrus County	Hardcopy maps	N/A	~30000 (1 in. = ~800 m)	1994-1995
Beeler, I.E. and T.J. O'Shea	1988	Distribution and Mortality of the West Indian Manatee ( <i>Trichechus manatus</i> ) in the South-eastern United States: A Compilation and Review of Recent Information. Volume Two: The Gulf of Mexico	Hardcopy report and map graphics	National Ecology Research Center, Report No. 88-09, Gainesville, Fla., 613 pp.	N/A	1986
Weigle, B., R. Flamm, and L. Ward FDEP, FMRI (St. Petersburg)	N/A	Interpolated Manatee Concentration Areas in Florida	Digital complex polygons	N/A	40000	1985-1993
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: NESTS

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 <b>Originator</b>	2.5.1.1.2 <b>Publication Date</b>	2.5.1.1.4 <b>Title</b>	2.5.1.1.6 <b>Geospatial Data Presentation Form</b>	2.5.1.1.8 <b>Publication Information</b>	2.5.1.2 <b>Source Scale Denominator</b>	2.5.1.4 <b>Source Time Period</b>
FGFWFC, Nongame Wildlife Program, (Tallahassee)	N/A	Wildlife Observation Database	Digital ASCII tables	Glenn Reynolds, Database Manager	Unknown	1994
Florida Natural Areas Inventory (Tallahassee)	N/A	Rare and Endangered Element Occurrence Database	Digital ASCII tables	Lance Peterson, Database Manager	Unknown	1995
Henderson, G. FDEP, FMRI (St. Petersburg)	N/A	Location of Various Biological and Socio-economic Features for the Tampa Bay Area	Expert knowledge	N/A	N/A	1996
Sargent, W. FDEP, FMRI (St. Petersburg)	N/A	Location of Various Biological and Socio-economic Features for West Peninsular 1 Florida	Expert knowledge	N/A	N/A	1996
Williams, A. FGFWFC (Tallahassee)	N/A	Bird Concentration Updates to the USCG COTP Tampa Area Response Plan Maps	Hardcopy maps	N/A	Varies	1996

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994
Zengel, S. Research Planning, Inc.	N/A	Human-use features and bird nesting locations for specific areas in West Peninsular Florida	Expert knowledge	N/A	N/A	1995

### 2.5.1. SOURCE INFORMATION:

Coverage or theme name: REPTILES

#### 2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Meylan, A., B. Schroeder, and A. Mosier	1995	Sea Turtle Nesting Activity in the State of Florida, 1979-1992	Hardcopy text and tables	FMRI, Publication No. 52, FDEP, FMRI, St. Petersburg, Fla., 51 pp.	N/A	1979-1995
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Hardcopy text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994

WEST PENINSULAR FLORIDA VOLUME 1 METADATA

2.5.1.1.1  Originator	2.5.1.1.2  Publication Date	2.5.1.1.4  Title	2.5.1.1.6  Geospatial Data Presentation Form	2.5.1.1.8  Publication Information	2.5.1.2  Source Scale Denominator	2.5.1.4  Source Time Period
Foley, A. FDEP, FMRI (St. Petersburg)	N/A	Sea Turtle Distribution in the St. Joseph Sound Vicinity	Expert knowledge	N/A	N/A	1995
Meylan, A. FDEP, FMRI (St. Petersburg)	N/A	In-water Sea Turtle Distribution for the Tampa Bay Area	Expert knowledge	N/A	N/A	1995
Foote, J. Mote Marine Laboratory (Sarasota)	N/A	In-water Sea Turtle Distribution for Sarasota Bay Area	Expert knowledge, maps, and text	N/A	N/A	1995
Kleen, J. USFWS (Crystal River)	N/A	Bird, Sea Turtle Concentration Sites for NWRS in West Peninsular Florida	Expert knowledge	N/A	N/A	1996
Schmidt, J.S. University of Florida (Gainesville)	N/A	In-water Sea Turtle Distributions in the Big Bend Region	Expert knowledge	N/A	N/A	1995
Moody, K. FDEP, FMRI (St. Petersburg)	N/A	Sea Turtle Areas Based on STSSN Strandings Database	Expert knowledge	N/A	N/A	1995

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: SHELLFSH

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Steele, P. FDEP, FMRI (St. Petersburg)	N/A	Shrimp and Blue Crab Distributions for Florida	Expert knowledge	N/A	N/A	1995
NOAA, Strategic Assessment Branch	1985	Gulf of Mexico Coastal and Ocean Zones Strategic Assessment: Data Atlas	Maps	NOAA, Strategic Assessment Branch, Ocean Assessment Division, Rockville, Md.	4000000	1981-1983
Nelson, D.M. (Ed.)	1992	Distribution and Abundance of Fishes and Invertebrates in Gulf of Mexico Estuaries, Vol. I: Data Summaries	Hardcopy report	ELMR Report No. 10, NOAA/NOS/SEA, Rockville, Md., 273 pp.	N/A	1989-1991
Berrigan, M. FDEP, Bureau of Marine Resource Regulation and Development (Tallahassee)	N/A	Aquaculture and Oyster Concentration Areas for West Peninsular Florida	Expert knowledge	N/A	N/A	1995
Arnold, W. FDEP, FMRI (St. Petersburg)	N/A	Bay Scallop and Hard Clam Concentration Areas	Expert knowledge and hard-copy map graphics	N/A	N/A	1995
Guillory, V., H.M. Perry, and R.L. Leard	1995	A Profile of the Western Gulf Stone Crab of the Gulf of Mexico	Hardcopy report	Gulf States Marine Fisheries Commission, Ocean Springs, Miss.	N/A	1994

WEST PENINSULAR FLORIDA VOLUME 1 METADATA

2.5.1.1.1  Originator	2.5.1.1.2  Publication Date	2.5.1.1.4  Title	2.5.1.1.6  Geospatial Data Presentation Form	2.5.1.1.8  Publication Information	2.5.1.2  Source Scale Denominator	2.5.1.4  Source Time Period
Sargent, F. FDEP, FMRI (St. Petersburg)	N/A	Photointerpreted Oyster Bars and Other Features for Tampa Bay Area	Hardcopy maps	N/A	Unknown	Unknown



**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: SOCECON

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Delorme Mapping Company	1989	Florida Atlas and Gazetteer	Hardcopy maps	Delorme Mapping, Freeport, Maine, 127 pp.	150000	Unknown
U.S. Geological Survey	Varies	USGS 7.5-minute Topographic Quadrangles	Hardcopy maps	USGS, Reston, Va.	24000	Varies
Gay, C. Florida Power Corporation	N/A	Location of Water Intakes for Power Plants	Expert knowledge	N/A	N/A	1995
Crain, L. Florida Power Corporation	N/A	Location of Water Intakes for Power Plants	Expert knowledge	N/A	N/A	1995
Sargent, W. FDEP, FMRI (St. Petersburg)	N/A	Location of Various Biological and Socio-economic Features for West Peninsular 1 Florida	Expert knowledge	N/A	N/A	1996
Deloach, N.	1993	Diving Guide to Under-water Florida	Hardcopy text and maps	New World Publications, Jacksonville, Fla., 324 pp.	N/A	1993
Zengel, S. Research Planning, Inc.	N/A	Human-use features and bird nesting locations for specific areas in West Peninsular Florida	Expert knowledge	N/A	N/A	1995
Research Planning, Inc.	N/A	Boat Ramps and Marinas	Overflight maps	N/A	24000	1982-1993

## WEST PENINSULAR FLORIDA VOLUME 1 METADATA

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Berrigan, M. FDEP, Bureau of Marine Resource Regulation and Development (Tallahassee)	N/A	Aquaculture and Oyster Concentration Areas for West Peninsular Florida	Expert knowledge	N/A	N/A	1995
Stafford, B. Tampa Electric Company	N/A	Location of Water Intakes for Power Plants	Expert knowledge	N/A	N/A	1995
Benton, G. Tampa Electric Company	N/A	Location of Water Intakes for Power Plants	Expert knowledge	N/A	N/A	1995
Forty, C. Tampa Electric Company	N/A	Location of Water Intakes for Power Plants	Expert knowledge	N/A	N/A	1995
Berrigan, C. Tampa Electric Company	N/A	Location of Water Intakes for Power Plants	Expert knowledge	N/A	N/A	1995
Falls, B. FDEP, FMRI	N/A	Location of Water Intake for the SERF Aquaculture Facility	Expert knowledge	N/A	N/A	1995
Henderson, G. FDEP, FMRI (St. Petersburg)	N/A	Location of Various Biological and Socioeconomic Features for the Tampa Bay Area	Expert knowledge	N/A	N/A	1996

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: SOCECONP

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Florida Bureau of Archaeological Research (Tallahassee)	N/A	Florida Archaeological Site File	Hardcopy maps	Fla. Dept. of State, Bureau of Archaeological Research, Tallahassee	24000	1995
Berrigan, M. FDEP, Bureau of Marine Resource Regulation and Development (Tallahassee)	N/A	Aquaculture and Oyster Concentration Areas for West Peninsular Florida	Expert knowledge	N/A	N/A	1995

**2.5.1. SOURCE INFORMATION:**

Coverage or theme name: T\_MAMMAL

**2.5.1.1. SOURCE CITATION**

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
FGFWFC, Nongame Wildlife Program, (Tallahassee)	N/A	Wildlife Observation Database	Digital ASCII tables	Glenn Reynolds, Database Manager	N/A	1994
Florida Natural Areas Inventory (Tallahassee)	N/A	Rare and Endangered Element Occurrence Database	Digital ASCII tables	Lance Peterson, Database Manager	N/A	1995
Humphrey, S.R. (Ed.)	1992	Rare and Endangered Biota of Florida, Volume I, Mammals	Text	University Press of Florida, Gainesville, Fla., 392 pp.	N/A	1992

2.5.1.1.1  Originator	2.5.1.1.2  Publication Date	2.5.1.1.4  Title	2.5.1.1.6  Geospatial Data Presentation Form	2.5.1.1.8  Publication Information	2.5.1.2  Source Scale Denominator	2.5.1.4  Source Time Period
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994

## 2.5.2. PROCESS STEP

### 2.5.2.1. PROCESS DESCRIPTION:

The digitization of ESI, biological resources, and human-use resources is a complex and highly quality controlled process. In order to facilitate digitizing, the entire study area was split into individual quadrangles using a map index coverage. The first layer of information digitized is the shoreline with ESI classification. This layer was obtained from the Florida Marine Research Institute. The data were checked for completeness, topological and logical consistency, and edited for any error using the original overflight maps. Any errors in the shoreline classification were updated prior to digitization of the biological and human-use layers. All data use the shoreline as the geographic reference so that there are no slivers in the geographic layers. The biological information was compiled onto 1:24,000 USGS topographic quadrangles by an in-house biological expert using the data from regional specialists in the form of maps, tables, charts, and written descriptions of wildlife distributions. Concurrently, all digital data was imported, merged into the spatial data structure, and checked for completeness. The hardcopy data were digitized, merged with existing digital data, checked using both digital and on-screen procedures, plotted, checked by the biological expert, edited to remove any errors, and plotted for review by the regional specialists. The reviewed maps were updated on the computer,

checked once again, and plotted at final map scale. A team of specialists reviewed the entire series of maps, checked all data, and made final edits. The data were merged to form the study-wide layers which are described in this document. The data merging included a final quality control check where topological consistency, rules for geography, and database to geography were checked and validated for all relationships.

**2.5.2.3. PROCESS DATE:**

199605

**2.5.2.6. PROCESS CONTACT**

**2.5.2.6.1. CONTACT PERSON PRIMARY**

**2.5.2.6.1.1. CONTACT PERSON:**

Jill Petersen

**2.5.2.6.1.2. CONTACT ORGANIZATION:**

NOAA HMRAD

**2.5.2.6.3. CONTACT POSITION:**

GIS Manager

**2.5.2.6.4. CONTACT ADDRESS**

**2.5.2.6.4.1. ADDRESS TYPE:**

Physical Address

**2.5.2.6.4.2. ADDRESS:**

7600 Sand Point Way, N.E.

Bin C15700

**2.5.2.6.4.3. CITY:**

Seattle

**2.5.2.6.4.4. STATE OR PROVINCE:**

WA

**2.5.2.6.4.5. POSTAL CODE:**

98115

**2.5.2.6.5. CONTACT VOICE TELEPHONE:**

(206) 526-6944

**2.5.2.6.7. CONTACT FACSIMILE TELEPHONE:**

(206) 526-6329

**2.5.2.6.8. CONTACT ELECTRONIC MAIL ADDRESS:**

jill\_petersen@hazmat.noaa.gov.us

This page intentionally left blank

**3.0. SPATIAL DATA ORGANIZATION INFORMATION**

3.2. DIRECT SPATIAL REFERENCE METHOD:

Vector

3.3. POINT AND VECTOR OBJECT INFORMATION

**3.3.1. SDTS TERMS DESCRIPTION:**

**3.3.1.1. SDTS POINT AND VECTOR OBJECT TYPE, and**

**3.3.1.2. POINT AND VECTOR OBJECT COUNT:**

Theme	Universe Polygon	GT-Polygons	G-Polygons	Area Points	Complete Chains	Line Segments	Label Points	Entity Points	Nodes
BIRDS	1	11	3,279	3,279	5,741	340,883			5,111
ESI	1		2,725	2,725	8,966	281,121			8,604
HABITATS	1	1	3,710	3,710	4,038	304,365			3,961
HYDRO	1		2,461	2,461	2,957	264,374	396		4,675
INDEX	1		42	42	102	132			61
MGT	1	20	1,453	1,453	1,881	141,134			1,660
M_MAMMAL	1	12	389	389	492	66,391			484
NESTS								299	
REPTILES	1	26	2,194	2,194	2,636	247,904			2,550
SHELLFSH	1	13	2,480	2,480	3,132	338,127			2,993
SOCECON					125	306		314	320
SOCECONP	1		437	437	525	111,822			514
T_MAMMAL								4	

This page intentionally left blank



**4.0. SPATIAL REFERENCE INFORMATION**

**4.1. HORIZONTAL COORDINATE SYSTEM DEFINITION**

**4.1.1. GEOGRAPHIC**

**4.1.1.1. LATITUDE RESOLUTION:**

0.00005

**4.1.1.2. LONGITUDE RESOLUTION:**

0.00005

**4.1.1.3. GEOGRAPHIC COORDINATE UNITS:**

Decimal Degrees

**4.1.4. GEODETIC MODEL**

**4.1.4.1. HORIZONTAL DATUM NAME:**

North American Datum of 1983

**4.1.4.2. ELLIPSOID NAME:**

GRS 1980

**4.1.4.3. SEMI-MAJOR AXIS:**

6,378,206.4

**4.1.4.4. DENOMINATOR OF FLATTENING RATIO:**

294.98

## 5.0. ENTITY AND ATTRIBUTE INFORMATION

### 5.1. DETAILED DESCRIPTION: BIRDS

The coverage BIRDS contains the polygons and regions with bird species.

#### 5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE  
LABEL:

5.1.1.2. ENTITY TYPE  
DEFINITION:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

#### 5.1.2. ATTRIBUTES:

##### 5.1.2.1. ATTRIBUTE LABEL:

RARNUM

##### 5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES\_ID, SEASON\_ID, and CONC. The items in BIORES.DAT are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the numbers of species present in the polygon. Where counts were not available, the concentration is blank. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G\_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S\_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following bird species are found in the BIRDS coverage of the West Peninsular Florida Volume 1 atlas:

<b>SPECIES ID</b>	<b>NAME</b>
1	Common loon
8	Double-crested cormorant
23	Lesser scaup
26	Bufflehead
33	Red-breasted merganser
54	Great blue heron
76	Bald eagle
77	Osprey
87	Little blue heron
88	Great egret
89	Snowy egret
93	Cattle egret
94	Tricolored heron
97	Green-backed heron
115	White ibis
116	Roseate spoonbill
118	Brown pelican
119	Magnificent frigatebird
120	Yellow-crowned night heron
124	Redhead
137	Royal tern
167	Northern gannet
1,003	Waterfowl
1,014	Diving ducks

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1. DETAILED DESCRIPTION: ESI**

The coverage ESI contains arc (Complete Chain) and polygon (GT-Polygon) features for the ESI shoreline classification. The classification of the features is based upon *Guidelines for Developing Digital Environmental Sensitivity Index Atlases and Data-bases* (Michel, J. and J. Dahlin, 1993, Hazardous Materials Response and Assessment Division, NOAA). The ESI classification was performed in June, 1993.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Complete Chain</u>	ESI SOURCE_ID character binary
<u>GT-Polygon</u>	ESI character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

ESI

**5.1.2.2. ATTRIBUTE DEFINITION:**

The item ESI contains values according to the ESI ranking of the shorelines and polygons. The ESI rankings progress from low to high susceptibility to oil spills. In many cases, the shorelines are also ranked with multiple codes such as 10A/5. The first number is the most landward shoreline type, fringing wetlands, with mixed sand and gravel beaches being the shoreline type closest to the water. The West Peninsular Florida Volume 1 shoreline types are listed below.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:	5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:
1	Exposed Vertical Rocky Shores/Seawalls
1/3	Exposed Vertical Rocky Shores/Seawalls/Fine-grained Sand Beaches
1/5	Exposed Vertical Rocky Shores/Seawalls/Mixed Sand and Gravel Beaches/Fill
1/6	Exposed Vertical Rocky Shores/Seawalls/Gravel Beaches/Riprap

<b>ENUMERATED DOMAIN VALUE:</b>	<b>ENUMERATED DOMAIN VALUE DEFINITION:</b>
2	Exposed Rocky Platforms
3	Fine-grained Sand Beaches
3/1	Fine-grained Sand Beaches/ Exposed Vertical Rocky Shores/Seawalls
3/6	Fine-grained Sand Beaches/ Gravel Beaches/ Riprap
3/10A	Fine-grained Sand Beaches/ Exposed Marshes and/ or Mangroves
3/10E	Fine-grained Sand Beaches/ Sheltered Marshes and/ or Mangroves
4	Coarse-grained Sand Beaches
5	Mixed Sand and Gravel Beaches/ Fill
5/10A	Mixed Sand and Gravel Beaches/ Fill/ Exposed Marshes and/ or Mangroves
6	Gravel Beaches/ Riprap
6/1	Gravel Beaches/ Riprap/ Exposed Vertical Rocky Shores/Seawalls
6/3	Gravel Beaches/ Riprap/ Fine-grained Sand Beaches
6/8	Gravel Beaches/ Riprap/ Sheltered Rocky Shores/Seawalls/ Vegetated Banks
7	Exposed Tidal Flats
8	Sheltered Rocky Shores/Seawalls/ Vegetated Banks
8/3	Sheltered Rocky Shores/Seawalls/ Vegetated Banks/ Fine-grained Beaches
8/10A	Sheltered Rocky Shores/Seawalls/ Vegetated Banks/ Exposed Marshes and/ or Mangroves
9	Sheltered Tidal Flats
10A	Exposed Marshes and/ or Mangroves
10A/3	Exposed Marshes and/ or Mangroves/ Fine-grained Sand Beaches
10A/6	Exposed Marshes and/ or Mangroves/ Gravel Beaches/ Riprap
10A/7	Exposed Marshes and/ or Mangroves/ Exposed Tidal Flats
10A/8	Exposed Marshes and/ or Mangroves/ Sheltered Rocky Shores/Seawalls/ Vegetated Banks
10E	Sheltered Marshes and/ or Mangroves
10E/3	Sheltered Marshes and/ or Mangroves/ Fine-grained Sand Beaches
U	Unranked

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:ordered**

**5.1.2.1. ATTRIBUTE LABEL:**

SOURCE\_ID

**5.1.2.2. ATTRIBUTE DEFINITION:**

Data source for the ESI

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.1. ENUMERATED  
DOMAIN VALUE:**

**5.1.2.4.1.2. ENUMERATED DOMAIN  
VALUE DEFINITION:**

---

0	Digital
1	Research Planning, Inc.

---

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

This page intentionally left blank

**5.1. DETAILED DESCRIPTION: HABITATS**

The coverage HABITATS contains the polygons with plant species.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES\_ID, SEASON\_ID, and CONC. The items in BIORES.DAT are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the numbers of species present in the polygon. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G\_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S\_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the HABITATS coverage of the West Peninsular Florida Volume 1 atlas:

SPECIES ID	NAME
85	Seagrass



**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1. DETAILED DESCRIPTION: HYDRO**

The coverage HYDRO contains polygonal water and land features. This coverage was created using the digital shoreline provided by the Florida Department of Environmental Protection. This coverage contains all annotation used in producing the atlas. The annotation features are categorized into three subclasses in order to simplify the mapping and quality control procedures: geog or geographic features, soc or socio-economic features, and hydro or water features.

**5.1.1. ENTITY TYPES:**

**5.1.1.1. ENTITY TYPE LABEL:**

**5.1.1.2. ENTITY TYPE DEFINITION:**

GT-Polygon

WATER\_CODE character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

WATER\_CODE

**5.1.2.2. ATTRIBUTE DEFINITION:**

Specifies a polygon as either water or land

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:**

**5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:**

L  
W

Land  
Water

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:**nominal

This page intentionally left blank

**5.1. DETAILED DESCRIPTION: INDEX**

The coverage INDEX contains the map boundaries for each quad / map in the atlas.

**5.1.1. ENTITY TYPES:**

**5.1.1.1. ENTITY TYPE LABEL:**

GT-Polygon

**5.1.1.2. ENTITY TYPE DEFINITION:**

TILE-NAME	character
TOPO-NAME	character
SCALE	integer
MAPANGLE	fraction
PAGESIZE	character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

TILE-NAME

**5.1.2.2. ATTRIBUTE DEFINITION:**

The TILE-NAME contains the map number according to the specified layout of the atlas. During the map production process the value of TILE-NAME is plotted on the map product to order the maps in a coherent manner. The values for each polygon are unique and range from 1 through 42.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:**ordered

**5.1.2.1. ATTRIBUTE LABEL:**

TOPO-NAME

**5.1.2.2. ATTRIBUTE DEFINITION:**

USGS 1:24,000 topographic map name. Some polygons straddle two or more maps and all map names are included in this attribute. The date (latest / revised) of the USGS maps are also included in this field.

**5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:**

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

---

ANNA MARIA, FLA. (1981)  
ARIPEKA, FLA. (1988)  
BAYPORT, FLA. (1984)  
BRADENTON BEACH, FLA. (1987)  
BRADENTON, FLA. (1987)  
CEDAR KEY, FLA. (1993)  
CHASSAHOWITZKA BAY, FLA. (1992)  
CLEARWATER, FLA. (1987)  
COCKROACH BAY, FLA. (1981)  
CROOKED POINT, FLA. (1992)  
DUNEDIN, FLA. (1987)  
EAST PASS, FLA. (1993)  
EGMONT KEY, FLA. (1981)  
ELFERS, FLA. (1987)  
GANDY BRIDGE, FLA. (1987)  
GIBSONTON, FLA. (1987)  
HORSESHOE BEACH, FLA. (1993)  
KEATON BEACH, FLA. (1993)  
OKEFENOKEE SLOUGH, FLA. (1993)  
OLDSMAR, FLA. (1987)  
OZELLO, FLA. (1992)  
PALMETTO, FLA. (1987)  
PASS-A-GRILLE BEACH, FLA. (1983)  
PORT RICHEY, FLA. (1988)  
PORT TAMPA, FLA. (1983)  
RED LEVEL, FLA. (1992)  
RUSKIN, FLA. (1987)  
SAFETY HARBOR, FLA. (1987)  
SARASOTA, FLA. (1992)  
SEAHORSE KEY, FLA. (1992)  
SEMINOLE, FLA. (1987)  
SHIRED ISLAND, FLA. (1993)  
ST. PETERSBURG, FLA. (1987)  
STEINHATCHEE SW, FLA. (1993)  
STEINHATCHEE, FLA. (1993)  
SUMNER, FLA. (1993)  
SUWANNEE, FLA. (1993)  
TAMPA, FLA. (1981)  
TARPON SPRINGS, FLA. (1987)

WEST PENINSULAR FLORIDA VOLUME 1 METADATA

WACCASASSA BAY, FLA. (1992)

WITHLACOOCHEE BAY, FLA. (1992)

YANKEETOWN, FLA. (1993)

---

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1.2.1. ATTRIBUTE LABEL:**

SCALE

**5.1.2.2. ATTRIBUTE DEFINITION:**

SCALE contains the value of the denominator of the scale at which the INDEX polygon is plotted in the final map product.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:**

---

50,000

54,000

56,000

---

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:ordinal**

**5.1.2.1. ATTRIBUTE LABEL:**

MAPANGLE

**5.1.2.2. ATTRIBUTE DEFINITION:**

MAPANGLE contains a value to rotate the final map product so that it is situated straight up and down.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:**

---

-0.726

-0.668

-0.610

-0.552

-0.494

-0.436

-0.378

-0.319

---

**5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:**

---

-0.261  
-0.203  
-0.145  
0

---

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:ordered**

**5.1.2.1. ATTRIBUTE LABEL:**

PAGESIZE

**5.1.2.2. ATTRIBUTE DEFINITION:**

PAGESIZE contains the value of the width and height of the map in the final map product.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:**

---

11,17

---

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**



**5.1. DETAILED DESCRIPTION: MGT**

The coverage MGT contains the polygons for the managed lands data.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygons</u>	SOCECON character RARNUM character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

SOCECON

**5.1.2.2. ATTRIBUTE DEFINITION:**

Identifies a region with a type of managed land. This attribute allows direct access to the type of feature instead of linking to the more detailed SOCECON.DAT table.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:	5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:
P	State Park
NP	National Park
WR	Wildlife Refuge

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the SOCECON.DAT table. The table SOCECON.DAT contains the feature type, the name of the feature, the geographic source, and the attribute source. The RARNUM value is distinguished from the biology RARNUM values by an "H" preceding the unique number.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1. DETAILED DESCRIPTION: M\_MAMMAL**

The coverage M\_MAMMAL contains the polygons with marine mammal species.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES\_ID, SEASON\_ID, and CONC. The items in BIORES.DAT are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the numbers of species present in the polygon. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G\_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S\_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the M\_MAMMAL coverage of the West Peninsular Florida Volume 1 atlas:

<b>SPECIES ID</b>	<b>NAME</b>
10	West Indian manatee

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1. DETAILED DESCRIPTION: NESTS**

The coverage NEST contains entity points representing nesting sites.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Entity Point</u>	RARNUM character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES\_ID, SEASON\_ID, and CONC. The items in BIORES.DAT are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the numbers of species present in the polygon. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G\_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S\_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following bird species are found in the NESTS coverage of the West Peninsular Florida Volume 1 atlas:

SPECIES ID	NAME
8	Double-crested cormorant
40	Ring-billed gull

<b>SPECIES ID</b>	<b>NAME</b>
45	Common tern
52	Wilson's phalarope
54	Great blue heron
55	Whimbrel
56	Spotted sandpiper
58	Greater yellowlegs
59	Lesser yellowlegs
60	Red knot
61	Pectoral sandpiper
62	Least sandpiper
63	Dunlin
64	Short-billed dowitcher
65	Long-billed dowitcher
66	Western sandpiper
67	Sanderling
69	Semipalmated plover
70	Killdeer
71	Black-bellied plover
73	Ruddy turnstone
76	Bald eagle
77	Osprey
86	Least tern
87	Little blue heron
88	Great egret
89	Snowy egret
90	Black-crowned night heron
91	Glossy ibis
93	Cattle egret
94	Tricolored heron
97	Green-backed heron
98	Laughing gull
115	White ibis
116	Roseate spoonbill
118	Brown pelican
119	Magnificent frigatebird
120	Yellow-crowned night heron
121	Anhinga
125	Clapper rail
132	Wood stork
133	Black skimmer
134	Gull-billed tern
135	Sandwich tern
136	Caspian tern
137	Royal tern

<b>SPECIES ID</b>	<b>NAME</b>
138	Forster's tern
139	Snowy plover
142	Black-necked stilt
150	Black rail
152	American oystercatcher
153	Piping plover
154	Wilson's plover
155	Willet
156	Semipalmated sandpiper
163	Reddish egret
164	Lesser-golden plover
173	American white pelican
196	Common snipe
209	Long-billed curlew
210	Marbled godwit
213	Stilt sandpiper
214	Solitary sandpiper
237	Baird's sandpiper
238	White-rumped sandpiper
277	Seaside sparrow
286	Dowitcher
290	Peep
292	Sharp-tailed sandpiper
295	Florida scrub jay
1,001	Gulls
1,002	Shorebirds
1,004	Wading birds
1,006	Diving birds
1,008	Terns

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:**nominal

This page intentionally left blank



**5.1. DETAILED DESCRIPTION: REPTILES**

The coverage REPTILES contains the regions (polygons) with reptile species.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	ID character RARNUM character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

ID

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the TURTLES.DAT table. The value of ID is unique for each region. The items in TURTLES.DAT are: ID, RARNUM, SURVEY, COUNTY, and NAME.

RARNUM is a link to the BIORES.DAT table and is identical to the values in REPTILES.DAT. The SURVEY identifies the survey source code, with SURVEY = 1 indicating 1994 FDEP surveyed beaches, SURVEY = 2 indicating 1995 surveyed beaches, SURVEY = 3 indicating nonsurveyed beaches with nesting information provided by an expert source, and SURVEY = 4 indicating pre-1994 surveyed beaches. The COUNTY and (surveyed beach NAME) correspond to fields in the FDEP Statewide Sea Turtle Nesting Database, allowing for future updating of nesting information. For SURVEY = 3 (expert source), "unsurveyed" is listed under NAME.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES\_ID, SEASON\_ID, and CONC. The items in BIORES.DAT are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the numbers of species present in the polygon. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G\_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S\_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the REPTILES coverage of the West Peninsular Florida Volume 1 atlas:

SPECIES ID	NAME
2	Green sea turtle
4	Kemp's ridley sea turtle
6	Loggerhead sea turtle

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1. DETAILED DESCRIPTION: SHELLFSH**

The coverage SHELLFSH contains the regions (polygons) with shellfish species.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES\_ID, SEASON\_ID, and CONC. The items in BIORES.DAT are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the numbers of species present in the polygon. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G\_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S\_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the SHELLFSH coverage of the West Peninsular Florida Volume 1 atlas:

<b>SPECIES ID</b>	<b>NAME</b>
4	Pink shrimp
41	Atlantic bay scallop
43	American oyster (eastern)
49	Blue crab
72	Spiny lobster
74	Stone crab
100	Quahog spp. (hard clam)

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1. DETAILED DESCRIPTION: SOCECON**

The coverage SOCECON contains the entity points and complete chains for the human use data.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:	
<u>Complete Chain</u>	SOCECON	character
<u>Entity Point</u>	SOCECON	character
	RARNUM	character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

SOCECON

**5.1.2.2. ATTRIBUTE DEFINITION:**

Identifies a line or point with a socio-economic, or human-use, feature. This attribute defines all feature types in the coverage.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.1. ENUMERATED DOMAIN VALUE: 5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:**

A	Airport – Points
AQ	Aquaculture Site - Points
B	Beach – Points
BR	Boat Ramp – Points
CG	Coast Guard – Points
DV	Diving – Points
M	Marina – Points
R	Bridge - Chains
WI	Water Intake – Points

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the SOCECON.DAT table. The table SOCECON.DAT contains the RARNUM, the feature type (SOC\_TYPE), the facility name (NAME), the geographic source (G\_SOURCE), and the attribute source (A\_SOURCE). The RARNUM value is distinguished from the biology RARNUM values by an "H" preceding the unique number.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1. DETAILED DESCRIPTION: SOCECONP**

The coverage SOCECONP contains polygons for archaeological/historical and aquaculture sites.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Complex Polygon</u>	SOCECON RARNUM
	character character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

SOCECON

**5.1.2.2. ATTRIBUTE DEFINITION:**

Identifies polygons with a socio-economic, or human-use, feature. This attribute defines all feature types in the coverage.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:	5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:
AS	Archaeological/ Historical Site – Polygons
AQ	Aquaculture Site – Polygons

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the SOCECON.DAT table. The table SOCECON.DAT contains the RARNUM, the feature type (SOC\_TYPE), the facility name (NAME), the geographic source (G\_SOURCE), and the attribute source (A\_SOURCE). The

RARNUM value is distinguished from the biology RARNUM values by an "H" preceding the unique number.

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**



**5.1. DETAILED DESCRIPTION: T\_MAMMAL**

The coverage T\_MAMMAL contains points with terrestrial mammal species.

**5.1.1. ENTITY TYPES:**

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Entity Point</u>	RARNUM character

**5.1.2. ATTRIBUTES:**

**5.1.2.1. ATTRIBUTE LABEL:**

RARNUM

**5.1.2.2. ATTRIBUTE DEFINITION:**

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES\_ID, SEASON\_ID, and CONC. The items in BIORES.DAT are: RARNUM, SPECIES\_ID, CONC, SEASON\_ID, G\_SOURCE, S\_SOURCE, and ELEMENT. SPECIES\_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH or an actual count of the numbers of species present in the polygon. SEASON\_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G\_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S\_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the T\_MAMMAL coverage of the West Peninsular Florida Volume 1 atlas:

<b>SPECIES ID</b>	<b>NAME</b>
38	Mink
76	Florida saltmarsh vole

**5.1.2.3. ATTRIBUTE DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE  
DEFINITION SOURCE:**

Research Planning, Inc.

**5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal**

**6.0. DISTRIBUTION INFORMATION****6.1. DISTRIBUTOR****6.1.1. CONTACT PERSON PRIMARY****6.1.1.1. CONTACT PERSON:**

John Kaperick

**6.1.1.2. CONTACT ORGANIZATION:**

NOAA

**6.1.4. CONTACT ADDRESS****6.1.4.1. ADDRESS TYPE:**

Physical Address

**6.1.4.2. ADDRESS:**

7600 Sand Point Way N.E., Bin C15700

**6.1.4.3. CITY:**

Seattle

**6.1.4.4. STATE OR PROVINCE:**

WA

**6.1.4.5. POSTAL CODE:**

98115

**6.1.5. CONTACT VOICE TELEPHONE:**

(206) 526-6400

**6.1.7. CONTACT FACSIMILE TELEPHONE:**

(206) 526-6329

**6.2. RESOURCE DESCRIPTION:**

ESI Atlas for West Peninsular Florida Volume 1

**6.3. DISTRIBUTION LIABILITY:**

Although this data has been processed successfully on a computer system at Research Planning, Inc., no warranty, expressed or implied, is made by Research Planning, Inc. regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. Research Planning, Inc. warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

**6.5. CUSTOM ORDER PROCESS**

Contact Research Planning, Inc. for distribution options (see 6.1.1.).

This page intentionally left blank

**7.0. METADATA REFERENCE INFORMATION**

**7.1. METADATA DATE:**

19960528

**7.2. METADATA REVIEW DATE:**

19941115

**7.4. METADATA CONTACT**

**7.4.1. CONTACT PERSON PRIMARY**

**7.4.1.1. CONTACT PERSON:**

Jill Petersen

**7.4.1.2. CONTACT ORGANIZATION:**

NOAA HMRAD

**7.4.3. CONTACT POSITION:**

GIS Manager

**7.4.4. CONTACT ADDRESS**

**7.4.4.1. ADDRESS TYPE:**

Physical Address

**7.4.4.2. ADDRESS:**

7600 Sand Point Way, N.E., Bin C15700

**7.4.4.3. CITY:**

Seattle

**7.4.4.4. STATE OR PROVINCE:**

Washington

**7.4.4.5. POSTAL CODE:**

98115

**7.4.5. CONTACT VOICE TELEPHONE:**

(206) 526-6944

**7.4.7. CONTACT FACSIMILE TELEPHONE:**

(206) 526-6329

**7.4.8. CONTACT ELECTRONIC MAIL ADDRESS:**

jill\_petersen@hazmat.noaa.gov.us

**7.5. METADATA STANDARD NAME:**

Content Standards for Digital Geospatial Metadata

**7.6. METADATA STANDARD VERSION:**

19940608

This page intentionally left blank