


COOK INLET/ KENAI PENINSULA, ALASKA

SHORELINE TYPES

- Sensitivity
- 1 Exposed rocky shores
 - 2 Exposed wave-cut platforms
 - 3 Fine-grained sand beaches
 - 4 Coarse-grained sand beaches
 - 5 Exposed tidal flats
 - 6 Mixed sand and gravel beaches
 - 7 Gravel beaches
 - 8 Sheltered rocky shores
 - 9 Sheltered tidal flats
 - 10 Marshes

BIOLOGICAL RESOURCES


- MARINE MAMMALS**
- Seals, sea lions, and otters
 - Whales and dolphins
- MARINE BIRDS**
- Birds of prey
 - Diving birds
 - Seabirds
 - Shorebirds
 - Wading birds
 - Waterfowl
- SHELLFISH**
- Bivalve molluscs
 - Crabs
 - Shrimp
- FISHES**
- Anadromous fishes
 - Nonanadromous fishes



SOCIOECONOMIC FEATURES

- Parks
- Marinas
- Boat ramps

PRESENT IN NEARSHORE AREA



WATERFOWL NESTING AND STAGING AREAS ARE ASSOCIATED WITH COASTAL WETLANDS AND ARE GENERALLY CONFINED WITHIN THESE HABITATS

WATERFOWL STAGING AREA
SPRING, FALL

WATERFOWL STAGING AREA
SPRING, FALL

ADJOINS MAP #50

rpi inc.
Research Planning Institute, Inc.
925 Gervais Street
Columbia, South Carolina, USA 29201
(803) 256-7322

FOR SALE BY U. S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

**ESI MAP
#49**

ILIAMNA (A-4), ALASKA
N6900 - W154075/15X22.5

1952