

(SELDOVIA C-5)

ADJOINS MAP #44, 52

(SELDOVIA A-5)


COOK INLET/ KENAI PENINSULA, ALASKA

SHORELINE TYPES

- Sensitivity
1. Exposed rocky shores
 2. Exposed wave-cut platforms
 3. Fine-grained sand beaches
 4. Coarse-grained sand beaches
 5. Exposed tidal flats
 6. Mixed sand and gravel beaches
 7. Gravel beaches
 8. Sheltered rocky shores
 9. Sheltered tidal flats
 10. Marshes

BIOLOGICAL RESOURCES



- MARINE MAMMALS**
- Seals, sea lions, and otters
 - Whales and dolphins
- MARINE BIRDS**
- Birds of prey
 - Diving birds
 - Seabirds
 - Shorebirds
 - Wading birds
 - Waterfowl
- SHELLFISH**
- Bivalve molluscs
 - Crabs
 - Shrimp
- FISHES**
- Anadromous fishes
 - Nonanadromous fishes



SOCIOECONOMIC FEATURES

- Parks
- Marinas
- Boat ramps


PRESENT IN NEARSHORE AREA



WATERFOWL NESTING AND STAGING AREAS ARE
ASSOCIATED WITH COASTAL WETLANDS AND ARE
GENERALLY CONFINED WITHIN THESE HABITATS

Mapped, edited, and published by the Geological Survey
Control by NOS/NOAA and USCE

rpi inc.
Research Planning Institute, Inc.
925 Gervais Street
Columbia, South Carolina, USA 29201
(803) 256-7322



CONTOUR INTERVAL 100 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES AND SOUNDINGS IN FEET DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 14 FEET

FOR SALE BY U. S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



**ESI MAP
#43**

SELDOVIA (B-6), ALASKA
N5915-W15152.5/1522.5

1951
MINOR REVISIONS 1973