


COOK INLET/
KENAI PENINSULA, ALASKA

SHORELINE TYPES

- Sensitivity
- 1 Exposed rocky shores
 - 2 Exposed wave-cut platforms
 - 3 Fine-grained sand beaches
 - 4 Coarse-grained sand beaches
 - 5 Exposed tidal flats
 - 6 Mixed sand and gravel beaches
 - 7 Gravel beaches
 - 8 Sheltered rocky shores
 - 9 Sheltered tidal flats
 - 10 Marshes

BIOLOGICAL RESOURCES

- MARINE MAMMALS
- Seals, sea lions, and otters
 - Whales and dolphins
- MARINE BIRDS
- Birds of prey
 - Diving birds
 - Seabirds
 - Shorebirds
 - Waterfowl
- SHELLFISH
- Bivalve molluscs
 - Crabs
 - Shrimp
- FISHES
- Anadromous fishes
 - Nonanadromous fishes



SOCIOECONOMIC FEATURES

- Parks
- Marinas
- Boat ramps

ADJOINS MAP #36

ADJOINS MAP #38

WATERFOWL NESTING AND STAGING AREAS ARE ASSOCIATED WITH COASTAL WETLANDS AND ARE GENERALLY CONFINED WITHIN THESE HABITATS

SEE MAP#53 FOR SPECIES IN NEARSHORE AREA

rpi inc.
Research Planning Institute, Inc.
925 Gervais Street
Columbia, South Carolina, USA 29201
(803) 256-7322

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN DECLINATION, 1953



CONTOUR INTERVAL 100 FEET
DATUM: MEAN SEA LEVEL
DEPTH CURVES IN FEET DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE ALLEGED RANGE OF TIDE IS APPROXIMATELY 9 FEET

FOR SALE BY U. S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA DENVER 2, COLORADO WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ADJOINS MAP #47

**ESI MAP
#37**

SELDOVIA (C-2), ALASKA
N5930—W15022.5/15X22.5
1953

This map was reproduced by electronic color scanning of an earlier printing (1958).