


WATERFOWL NESTING AND STAGING AREAS ARE ASSOCIATED WITH COASTAL WETLANDS AND ARE GENERALLY CONFINED WITHIN THESE HABITATS

WATERFOWL NESTING AND STAGING AREA SPRING-FALL

SUSITNA FLATS STATE GAME REFUGE

PRESENT IN NEARSHORE AREA




COOK INLET/
KENAI PENINSULA, ALASKA

SHORELINE TYPES

- 1 Exposed rocky shores
2 Exposed wave-cut platforms
3 Fine-grained sand beaches
4 Coarse-grained sand beaches
5 Exposed tidal flats
6 Mixed sand and gravel beaches
7 Gravel beaches
8 Sheltered rocky shores
9 Sheltered tidal flats
10 Marshes

BIOLOGICAL RESOURCES

- MARINE MAMMALS
Seals, sea lions, and others
Whales and dolphins
- MARINE BIRDS
Birds of prey
Diving birds
Seabirds
Shorebirds
Wading birds
Waterfowl
- SHELLFISH
Bivalve molluscs
Crabs
Shrimp
- FISHES
Anadromous fishes
Nonanadromous fishes



SOCIOECONOMIC FEATURES

- Parks
Marinas
Boat ramps

Mapped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and USCE

rpi inc.
Research Planning Institute, Inc.
925 Gervais Street
Columbia, South Carolina, USA 29201
(803) 256-7322

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1958

SCALE 1:63 360

CONTOUR INTERVAL 50 FEET
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET-DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 19 FEET

FOR SALE BY U.S. GEOLOGICAL SURVEY
FAIRBANKS, ALASKA 99701, DENVER, COLORADO 80225, OR WASHINGTON, D.C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ADJOINS MAP #10

**ESI MAP
#6**

TYONEK (A-3), ALASKA
N6100-W15045/15X22.5

1958
MINOR REVISIONS 1966